

ARMONY



TAU

SCHEDA TECNICA FICHE TECHNIQUE TECHNICAL SPECIFICATIONS FICHA TÉCNICA

LAMINATO

LAMINATO LEGNO
STRATIFIE BOIS

WOOD LAMINATE

LAMINADO MADERA




Quercia miele 673

LAMINATO PIETRA
STRATIFIE PIERRE

STONE LAMINATE

LAMINADO PIEDRA



Bianco ghiaccio 410 climb




Pulpis light 3447




Pulpis dark 3446



Pietra lavica 545



Sahara Noir 6084



Nero Marquina 5544



Senso vena verticale

Sens du fil: vertical
Vertical grain direction
Dirección veta vertical









Disponibile per piani di lavoro

Disponible pour les plans de travail
Available for worktops
Disponible para encimeras

FENIX

FENIX®



Disponibile per piani di lavoro

Disponibile pour les plans de travail
Available for worktops
Disponibile para encimeras



Superficie estremamente opaca
Surface extrêmement mate
Extremely matt surface

Superficie extremadamente mate



Materiale riparabile

Matériel réparable

Repairable material

Material reparabile



Anti-impronta

Aucune trace de doigts

Anti-fingerprint

Anti-huella digital



Morbidezza al tatto

Toucher soyeux

Soft touch

Suavidad al tacto



Resistenza a graffi e abrasioni

Résistance aux rayures et aux abrasions

Resistant to scratches and abrasions

Resistencia a rayaduras y abrasiones



Resistenza a prodotti chimici di uso domestico

Résistance aux produits chimiques à usage domestique

Resistant to chemicals for domestic use

Resistencia a productos químicos de uso doméstico




Igienico

Hygiénique

Hygienic


Higiénico



MANIGLIA
POIGNEE
HANDLE
TIRADOR



PUSH-PULL



GOLA CURVA
GORGE ARRONDIE
ROUND GROOVE
PERFIL CURVO